

A003 . Ratings and Limitations

HQ Control: 04/03/2017
HQ Revision: 01a

The certificate holder is authorized the following Ratings and/or Limitations:

Class Ratings

None authorized

Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Airframe	Airbus	A320	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations. RVSM required inspection of structural areas noted as RVSM critical areas in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations.
Airframe	Astra	Sp, Spx, Spx Gulfstream 100	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Beechcraft	KingAir all series, Beechjet 400, 400A, 1900	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Boeing	B-727 all series, B- 737 all series, B- 757 all series, B- 767 all series.	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations. RVSM required inspection of structural areas noted as RVSM critical areas in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations.

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Airframe	Bombardier	CL215, CL415, CL600, CL601, CL604	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations. RVSM required inspection of structural areas noted as RVSM critical areas in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations for models: CL600, CL601, and CL604 only.
Airframe	Cessna	Citation all series	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations. RVSM required inspection of structural areas noted as RVSM critical areas in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations for models: 500, 501, 550, S550, 551, and 560 only.
Airframe	Cessna	Conquest 441	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Dornier	228-201	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Embraer	110, 120, 135, 140, 145, Legacy 600	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Falcon	10, 20, 20F, 50, 900, 2000	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Fokker	F-28	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations. RVSM required inspection of structural areas noted as RVSM critical areas in accordance with current manufacturer's maintenance manuals, FAA approved

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
			RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations for F-28 only.
Airframe	Gulfstream	2, 3, 4, 100, G150, 200, 400, 450,	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations. RVSM required inspection of structural areas noted as RVSM critical areas in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations for models: 2, 3, and 4 only.
Airframe	Hawker	HS-125 series	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Jetstar	I	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Jetstream	HP137MK1, 31, 41, 41 Mod 41303	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Learjet	All Series	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations. RVSM required inspection of structural areas noted as RVSM critical areas in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations for all series.
Airframe	Maverick	All series	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	McDonald Douglas	MD-80, MD-90	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
			maintenance manuals and Title 14 Code of Federal Regulations. RVSM required inspection of structural areas noted as RVSM critical areas in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations for MD80 and MD-90 only.
Airframe	Piaggio	P-180	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Raytheon	Beechcraft Premier I, Beechjet 400/400A, Hawker 400/400XP	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations. RVSM required inspection of structural areas noted as RVSM critical areas in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations for Premier I only.
Airframe	Robin	DR 400, 500	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	See Limitation	See Limitation	All NON-RVSM "small aircraft" of less than 12,500 pounds maximum certificated takeoff weight. Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	See Limitation	See Limitation	All NON-RVSM "large aircraft" more than 12,500 pounds maximum certificated takeoff weight. Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Syberjet Aircraft	SJ30	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Vickers	Viscount	Removal and installation of components, interconnections,

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
			and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Airframe	Westwind	All series	Removal and installation of components, interconnections, and pneumatic components of Altimeter System, Altitude Reporting Equipment, and ATC Transponder Systems only, in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations.
Instruments	See Limitation	See Limitation	Altimeter System and Altitude Reporting Equipment Tests and inspections in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations, Part 91.411 and Part 43 Appendix E on all "small aircraft" of less than 12,500 pounds maximum certificated takeoff weight. RVSM altimeter System and Altitude Reporting Equipment Tests and inspections in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations, Part 91.411 and Part 43 Appendix E on RVSM aircraft that are listed under Limited Airframe Rating specifically by Manufacture Make/Model.
Radio	See Limitation	See Limitation	ATC Transponder System Tests and inspections in accordance with current manufacturer's maintenance manuals and Title 14 Code of Federal Regulations, Part 91.413 and Part 43 Appendix F on all "small aircraft" of less than 12,500 pounds maximum certificated takeoff weight. RVSM Transponder System Tests in accordance with current manufacturer's maintenance manuals, FAA approved RVSM manuals, FAA approved CAMPs containing RVSM inspections, and Title 14 Code of Federal Regulations, Part 91.413 and Part 43 Appendix F on RVSM aircraft that are listed under Limited Airframe Rating specifically by Manufacture Make/Model.

Limited Ratings - Specialized Services

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
None Authorized		

1. The Certificate Holder applies for the Operations in this paragraph.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Thomas J. Lombardi, Principal Avionics Inspector (WP21)
[1] SUPPORT INFO: Add EMJ 120 and 140 for Limited Airframe
[2] EFFECTIVE DATE: 10/29/2024, [3] AMENDMENT #: 12
DATE: 2024.10.29 11:37:39 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

 10/29/24

Randy K. Wilson, Sr., President/Accountable Manager Date
